

Date: Friday, 19/09/2008 10:34:49 AM
 User: Julie Lecocq

Process Sheet

| | | | | | |
|------------------------------------|--|---------------------------|----------------------------------|-------------------------|--------------------|
| Customer : | CU-DAR001 Dart Helicopters Services | Drawing Name : | 212/205 HIGH FED X-TUBE ASSEMBLY | | |
| Job Number : | 42128 | | | | |
| Estimate Number : | 13216 | | | | |
| P.O. Number : | | Part Number : | D212664101TRN | | |
| This Issue : | 19/09/2008 | S.O. No. : | | Drawing Number : | D212-664-141 REV C |
| Prsht Rev. : | NC | | | Project Number : | N/A |
| First Issue : | // | Type : | CROSSTUBES | | |
| Previous Run : | 42127 | Drawing Revision : | C | | |
| Written By : | | Material : | | Due Date : | 26/09/2008 |
| Checked & Approved By : | JLD 28.9.17 | Qty: | 1 | Um: | Each |
| Comment : | Est Rev:A 08-03-06 new issue DD verified by:ec Est Rev B 08.04.02 removed Polish EC verified by: DD | | | | |

Additional Product

Job Number:



| | | |
|----------------|------------------------------|----------------------|
| Seq. #: | Machine Or Operation: | Description : |
|----------------|------------------------------|----------------------|

| | | |
|-----|----------|--------------------|
| 1.0 | D6005128 | Crosstube Material |
|-----|----------|--------------------|



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

| | | | |
|-----|-------------|-------------|--------|
| Qty | Part number | Description | Batch |
| 1 | D6005-128 | Crosstube | 534725 |

Check OD = 2.750"; ID = 2.000"

Am 08.09.24 @

| | | |
|-----|------------|----------------------------|
| 2.0 | MORI SEIKI | MORI SEIKI CNC LATHE LARGE |
|-----|------------|----------------------------|

**Comment:** MORI SEIKI CNC LATHE LARGE

1-Fill tube with sand & install plugs DT8534 on both ends as per Folio FA113

2-Turn first side as per Folio FA113

3-File down transition lines smooth.

Am 08.09.24 @

| | | |
|-----|-----|------------------------------|
| 3.0 | QC1 | INSPECT ALL DIM TO DIM SHEET |
|-----|-----|------------------------------|

**Comment:** INSPECT ALL DIM TO DIM SHEET

Am 08.09.24 @

| | | |
|-----|------------|----------------------------|
| 4.0 | MORI SEIKI | MORI SEIKI CNC LATHE LARGE |
|-----|------------|----------------------------|

**Comment:** MORI SEIKI CNC LATHE LARGE

1-Turn second side as per Folio FA113

2-File down transition lines smooth.

3-Remove sand and plugs

Am 08.09.24 @

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Date: Friday, 19/09/2008 10:34:49 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 212/205 HIGH FED X-TUBE ASSEMBLY

Job Number: 42128

Part Number: D212664101TRN

Job Number:



Seq. #:


Machine Or Operation:

Description :

5.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

Am 08.09.24

6.0

QC8

SECOND CHECK



Comment: SECOND CHECK

AWM 8-9-24

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

AWM 8-9-25

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

DP 8-9-25

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock in kanban rack

Location:

X-TUBE CELL AWM 8-9-25

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/09/26

Job Completion



CMF - 08.09.26

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



| | | | |
|----------------------|--------------------------------|---|------------------------|
| DESIGN PH | DRAWN BY PH | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| CHECKED QP | APPROVED [Signature] | DRAWING NO. D212-664-141 | REV. C SHEET 1 OF 3 |
| DATE 07.03.08 | | TITLE XTUBE ASS'Y (205/212/412 HI FWD) NTS | |
| A | 00.12.12 | NEW ISSUE | |
| B | 05.02.04 | ADD HOLES FOR COMPATABILITY WITH BHT/AA SKIDTUBES | |
| C | 07.03.08 | REMOVE -851 ABRASION STRIP; ADD MAGNOBOND 6398, CUSHION, REVERSE CLAMPS | |

RELEASED

07.04.24 **[Signature]**

| Qty | Part Number | Description |
|-----|----------------|---|
| X | D212-664-141 | CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD) |
| 1 | D6005-128 | CROSSTUBE |
| 2 | D2893-1 | SUPPORT |
| 4 | D3595-063-450 | RUBBER CUSHION |
| 4 | MS21920-25 | CLAMP (OR MS21920-26) |
| A/R | MAGNOBOND 6398 | ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE) |

GENERAL NOTES:

- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 2) MATERIAL: MANUFACTURED FROM D6005-128
FINISHED LENGTH = 126.51±0.020
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART QSI 005 4.2
- 4) PART IS SYMMETRIC ABOUT CENTERLINE.
- 5) RUN-OFF PART. BLEND OUT EDGE LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH.
- 6) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 7) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 8) SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS.
- 9) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 10) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE SUPPORT
- 11) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 12) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

TOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 42128

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

RELEASED
07.04.24 UP
PER ECU 387



DETAIL C: TAPER RUN-OFF
NOT TO SCALE



COPYRIGHT © 2000 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE LTD.

DESIGN

PH

DRAWN BY

PH

DART

DART AEROSPACE LTD.
HAWKESBURY, ONTARIO, CANADA

CHECKED

APPROVED

PH

DRAWING NO.
D212-664-141

REV. C
SHEET 3 OF 3

DATE





07.03.08

TITLE

XTUBE ASS'Y (205/212/412 HI FWD)

SCALE

1:1



RELEASED

07.04.24

COPYRIGHT © 2000 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE LTD.

| | | | |
|------------------|---|-----------------------------|--|
| DESIGN PH | DRAWN BY PH | DART | DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA |
| CHECKED 92 | APPROVED H | DRAWING NO. D212-664-141 | REV. C SHEET 2 OF 3 |
| DATE 07.03.08 | TITLE XTUBE ASS'Y (205/212/412 HI FWD) | SCALE 1:10 | |

SECTION E-E

SCALE 2:5

WORK ORDER

NO. 42128

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
WITHOUT NOTICE